NATIONAL TRANSPORTATION SAFETY BOARD

Office of Aviation Safety Washington, D.C. 20594

August 5, 2003

Meteorology

Meteorological Factual Report by James T. Skeen, Jr.

A. ACCIDENT

Location: Tillamook Inlet, Garibaldi, Oregon

Date: June 14, 2003

Time: 0715 Pacific Daylight Time

Vessel: M/V TAKI-TOOO NTSB Number: DCA03MM035

B. GROUP

Chairman: James T. Skeen, Jr.

Senior Meteorologist

National Transportation Safety Board

Washington, D.C.

Member: None

C. SUMMARY

On June 14, 2003, at 0715 pacific daylight time (pdt), M/V TAKI-TOOO capsized while crossing the bar at Tillamook Bay, Oregon. During the bar crossing, a large wave struck the port side of the TAKI-TOOO, capsizing the vessel. There were two crewmembers and 17 passengers on board. Eleven people died, including the ship's master.

The Meteorological Group Chairman did not participate in the on-scene investigation.

D. DETAILS OF INVESTIGATION

Notes: Unless noted, in the report all times are edt based on the 24-hour clock. Unless noted, all heights are above mean sea level (msl). Unless noted, all directions refer to true north. Unless noted, all distances are in statute miles. Coordinated Universal Time (UTC) = pdt + 7 hours. UTC = Z.

1. Synoptic Situation

The Surface Analysis chart prepared by the National Weather Service (NWS) National Centers for Environmental Prediction (NCEP) for 0800 pdt and satellite-derived near-surface winds for 0658 pdt provided a general overview of conditions over the coastal and offshore waters of Oregon.

Figure 1 shows the NWS NCEP Surface Analysis chart centered on Oregon for 0800 pdt.

The chart indicates a ridge of high pressure situated along the Oregon coastline. Surface observations plotted on the chart indicate that the surface winds were generally light. No precipitation was indicated on the plots. Surface temperatures along the coastline were in the mid 50s Fahrenheit.




Figure 1. Surface Analysis chart for 0800 pdt June 14, 2003.

Figure 2 shows QuikSCAT satellite wind data for the northwestern Pacific Ocean. The wind plots were taken from the QuikSCAT ascending path at the nominal time of 0658 pdt. Note: The SeaWinds instrument on the QuikSCAT satellite is a specialized radar that measures near-surface wind speed and direction at a 25-kilometer resolution.

The chart indicates a wind circulation center in the Gulf of Alaska with southwesterly winds off the Oregon coastline at generally 10-19 knots.




Figure 2. QuikSCAT winds for 0658 pdt June 14, 2003.

2. Surface Weather Observations

Wind reports every thirty minutes were available from a NWS anemometer located at Garibaldi. Figure 3 indicates the location of the anemometer at Garibaldi. Note: The chart was obtained from the Maptech Internet site (http://mapserver.maptech.com/homepage/) and annotated to show the anemometer's approximate location.



Figure 3. Garibaldi Anemometer Location.

Table 1 shows the reported Garibaldi wind directions and speeds at the indicated times.

Time 2-min Average 1-min Gust 30-min Peak Dir (T)/Spd (KT) Dir (T)/Spd (KT) (PDT) Dir (T)/Spd (KT) 0700 133/10 134/9.6 132/11.4 0730 127/9.4 127/9.6 128/9.9

Table 1. NWS Garibaldi Wind Reports.

Attachment 1 includes all the Garibaldi wind observations during the period from 0000 to 0931, inclusive.

The closest official aviation weather observations were from Astoria, Oregon.

Following are the Astoria weather observations, in part, surrounding the accident time:

Astoria Regional Airport (KAST), Oregon

field elevation 15 feet msl, located approximately 003 degrees at 36 nautical miles from the accident location, unaugmented Automated Surface Observing System (ASOS)

Time—0555; type—METAR; wind—calm; visibility—10 miles; present weather—none; sky condition—few 4,900 feet overcast 6,000 feet; temperature—12 degrees Celsius; dew point—11 degrees Celsius; altimeter setting—30.09 inches hg; remarks—none=

Time—0655; type—METAR; wind—150 degrees at 4 knots; visibility—8 miles; present weather—none; sky condition—scattered 2,600 feet broken 3,800 feet overcast 4,500 feet; temperature—12 degrees Celsius; dew point—11 degrees Celsius; altimeter setting—30.10 inches hg; remarks—none=

Time—0755; type—METAR; wind—140 degrees at 3 knots; visibility—10 miles; present weather—none; sky condition—broken 4,300 feet broken 5,000 feet overcast 8,000 feet; temperature—12 degrees Celsius; dew point—11 degrees Celsius; altimeter setting—30.12 inches hg; remarks—none=

3. Buoys and Coastal-Marine Automated Network (C-MAN) Observations

The National Data Buoy Center (NDBC), a part of the NWS, develops, operates, and maintains a network of buoy and C-MAN stations.

Data from the nearest buoy and C-MAN stations to Tillamook Bay were obtained from the NDBC Internet site and, in part, follow:

Station 46029 - Col River Bar

located approximately 325 degrees at 42 nautical miles from the accident location http://www.ndbc.noaa.gov/station page.phtml?station=46029

Following are the standard hourly observations for 46029 during the period from 1700 pdt June 13 (0000 UTC June 14) to 0900 pdt June 14 (1600 UTC June 14). Details concerning the observations can be found at http://www.ndbc.noaa.gov/measdes.shtml#stdmet

```
YYYY MM DD hh WD WSPD
                        GST
                             WVHT
                                          APD MWD
                                                   BARO
                                                                                      TIDE
                                    13
2003 06 14 16 180
                  4.0
                                          MM MM 1019.8
                        5.0
                              3.1
                                                          12.9
                                                                12.8
                                                                      10.9
                                                                             MM + 1.2
                                                                                        MM
                        7.0
2003 06 14 15 180
                   5.0
                              3.6
                                     1.3
                                           MM MM 1019.5
                                                          12.6
                                                                12.6
                                                                      10.5
                                                                             MM + 1.4
                                                                                        MM
2003 06 14 14 200
                                          MM MM 1018.9
                                                          13.3
                                                                12.8
                   3.0
                        4.0
                                    13
                                                                      11.3
                                                                             MM + 1.0
2003 06 14 13 200
                        5.0
                              3.9
                                    13
                                          MM MM 1018.6
                                                          13.3
                                                                12.9
                                                                             MM + 1.1
                                                                                        MM
                   4.0
                                                                      10.7
2003 06 14 12 240
                        7.0
                              3.5
                   5.0
                                    13
                                          MM MM 1018.1
                                                          13.4
                                                                12.9
                                                                      10.1
                                                                             MM + 0.9
                                                                                        MM
2003 06 14 11 220
                   5.0
                        8.0
                              3.9
                                    13 MM MM 1017.9
                                                          12.9
                                                                12.8
                                                                      10.8
                                                                             MM + 0.5
                                                          12.9
                                          MM MM 1017.5
2003 06 14
          10 200
                   4.0
                        6.0
                              3.6
                                     13
                                                                             MM + 0.6
                                                                                        MM
                                    13
2003 06 14 09 190
                   3.0
                        4.0
                              3.3
                                          MM MM 1017.2
                                                          13.3
                                                                12.9
                                                                      10.4
                                                                             MM + 0.0
                                                                                        MM
2003 06 14 08 210
                                    13 MM MM 1017.4
13 MM MM 1016.9
                   5.0
                        7.0
                              3.6
                                                          12.9
                                                                12.9
                                                                       8.8
                                                                             MM + 0.6
                                                                                        MM
2003 06 14 07 220
                   7.0
                        9.0
                              2.8
                                                          13.4
                                                                13.3
                                                                      10.0
                                                                             MM + 0.6
                                                                                        MM
2003 06 14 06 190
                              2.8
                                    13 MM MM 1017.1
                                                          12.8
                                                                             MM + 0.7
                   6.0
                        8.0
                                                                13.4
                                                                      9.9
                                   13
                                        MM MM 1016.8
2003 06 14 05 210
                   5.0
                        6.0
                              2.9
                                                          13.4
                                                                13.6
                                                                       8.5
                                                                             MM + 0.4
                                                                                        MM
2003 06 14 04 200
                                          MM MM 1016.3
                              2.8
                                    11
                                                                13.6
                   4.0
                        5.0
                                                          13.7
                                                                      10.2
                                                                             MM + 0.0
                                                                                        MM
                                                                                        MM
2003 06 14 03 220
                  5.0
                        6.0
                              2.8
                                    13 MM MM 1016.4
                                                          13.7
                                                                13.6
                                                                      9.4
                                                                             MM + 0.0
                                               MM 1016.4
                                     13
                                                                       9.5
2003 06 14 02 220
                   5.0
                        6.0
                              3.2
                                          MM
                                                          13.7
                                                                13.7
                                                                             MM + 0.4
                                                                                        MM
2003 06 14 01 220
                  5.0
                        6.0
                              3.1
                                     13
                                           MM MM 1016.4
                                                         14.1
                                                                13.6
                                                                       9.5
                                                                             MM + 0.6
                                                                                        MM
                                     13 MM MM 1016.4 13.7 13.2 10.3
2003 06 14 00 200
                  4.0
                        6.0
                              2.8
                                                                            MM + 0.7
```

Following are wave data for 46029 during the period from 1700 pdt June 13 (0000 UTC June 14) to 0900 pdt June 14 (1600 UTC June 14). Details concerning the wave data can be found at http://www.ndbc.noaa.gov/waveobs.shtml

```
YYYY MM DD hh
              НΟ
                   SwH
                        SwP
                             WWH
                                  WWP SwD WWD
                                               STEEPNESS
                                                          AVP MWD
2003 06 14 16
              3.1
                   3.0 12.5
                             0.7
                                  3.8 WNW SW
                                                   SWELL
                                                          8.0 288
2003 06 14 15 3.6
                  3.5 12.5
                             0.8
                                  3.4 WNW WSW
                                                   SWELL
                                                          8.5 284
2003 06 14 14
              3.5
                   3.5 12.5
                             0.0
                                    O WNW
                                           MM
                                                   SWELL
                                                          8.4
2003 06 14 13
              3.9
                   3.9 12.5
                             0.0
                                    0 WNW MM
                                                   SWELL
                                                          8.6 288
2003 06 14 12
                                  3.2 WNW
                                          SW
              3.5
                   3.4 12.5
                             0.8
                                                   SWELL 8.5 288
2003 06 14 11
              3.9
                   3.7 12.5
                             1.1
                                  4.0 WNW WSW
                                                   SWELL
                                                          9.0
                                                              2.88
2003 06 14 10 3.6
                   3.6 12.5
                             0.0
                                                          9.1 288
                                    0 WNW MM
                                                   SWELL
2003 06 14 09
              3.3
                   3.3 12.5
                             0.0
                                    0 WNW
                                           MM
                                                   SWELL
                                                          8.5
                                                              284
2003 06 14 08
                   3.4 12.5
                                  4.0 WNW SSW
              3.6
                             1.0
                                                   SWELL
                                                          8.9 288
2003 06 14 07
                  2.6 12.5
                                                   SWELL 8.3 288
              2.8
                             1.0 3.6 WNW SSW
2003 06 14 06
              2.8
                   2.6 12.5
                             1.1
                                  5.9
                                          SW
                                                   SWELL
2003 06 14 05
              2.9
                   2.7 12.5
                             0.9
                                  4.5
                                        W SSW
                                                   SWELL
                                                          8.3 276
2003 06 14 04
              2.8
                   2.7 11.1
                             0.8 3.3
                                        W WSW
                                                   SWELL
                                                          7.7 280
2003 06 14 03
              2.8
                   2.8 12.5
                             0.0
                                    O WNW MM
                                                   SWELL
                                                          7.8 292
                             0.8 3.7 WNW SW
              3.2 3.1 12.5
2003 06 14 02
                                                   SWELL
                                                          8.1 292
2003 06 14 01
              3.1
                   3.0 12.5
                             0.8
                                  3.1
                                       W
                                           SW
                                                   SWELL
                                                          8.1
                                                              280
2003 06 14 00 2.8 2.8 12.5
                             0.0
                                    O WNW
                                           MM
                                                   SWELL
                                                          7.8 284
```

Station 46050 – Stonewall Banks

located approximately 205 degrees at 61 nautical miles from the accident location http://www.ndbc.noaa.gov/station_page.phtml?station=46050

Following are the standard hourly observations for 46050 during the period from 1700 pdt June 13 (0000 UTC June 14) to 0900 pdt June 14 (1600 UTC June 14). Details concerning the observations can be found at http://www.ndbc.noaa.gov/measdes.shtml#stdmet

```
YYYY MM DD hh WD WSPD GST
                          WVHT
                                 מפמ
                                      APD MWD BARO
                                                     ATMP
                                                           WTMP
                                                                 DEWP VIS PTDY
                                                                                TIDE
2003 06 14 16 170 6.0 8.0
                           3.9
                                 11
                                       MM MM 1020.4 13.7
                                                           14.3
                                                                 MM
                                                                      MM + 1.2
                                                                                 MM
2003 06 14 15 170 7.0 8.0
                           3.8
                                 13
                                       MM MM 1019.8 13.6 14.3
                                                                      MM + 1.0
                                                                  MM
```

```
MM MM 1019.3 13.7 14.3
2003 06 14 14 170 6.0 8.0
                             4.1 13
                                                                        MM
                                                                              MM + 0.7
2003 06 14 13 170
                        5.0
                                           MM MM 1019.2
                   4.0
                              4.2
                                     13
                                                          13.9
                                                                 14.4
                                                                         MM
                                                                              MM + 0.8
                              4.0 13
2003 06 14 12 190
                   6.0
                        7.0
                                           MM MM 1018.8
                                                          14.1
                                                                14.3
                                                                         MM
                                                                              MM + 0.6
                                                                                         MM
2003 06 14 11 210
                   5.0
                        6.0
                              3.8 14
                                           MM MM 1018.6
                                                          14.4
                                                                14.3
                                                                         MM
                                                                              MM + 0.0
                                                                                         MM
2003 06 14 10 200
                   5.0
                              3.9
                                     13
                                           MM MM 1018.4
                                                           14.3
                                                                 14.3
                                                                         MM
                                                                              MM + 0.4
                                                                                         MM
2003 06 14 09 210
                   4.0
                        5.0
                              3.0
                                           MM MM 1018.2
                                                           14.1
                                                                 14.4
                                                                         MM
                                                                              MM + 0.0
                                    13
2003 06 14 08 250
                                           MM
                                               MM 1018.4
                                                                         MM
                                                                              MM + 0.9
                   5.0
                        7.0
                              3.2
                                                           13.8
                                                                 14.5
                                                                                         MM
2003 06 14 07 210
                              3.2
                   6.0
                        8.0
                                     13
                                           MM MM 1018.0
                                                           14.4
                                                                 14.5
                                                                         MM
                                                                              MM
                                                                                 MM
                                                                                         MM
                   6.0
                                    1.3
2003 06 14 06 200
                        7.0
                              2.9
                                           MM MM 1018.0
                                                           14.3
                                                                 14.5
                                                                         MM
                                                                              MM + 1.0
2003 06 14 05 220
                   6.0
                        7.0
                              2.6
                                     13
                                           MM
                                               MM 1017.5
                                                           14.4
                                                                 14.7
                                                                         MM
                                                                              MM + 0.6
2003 06 14 03 200
                                           MM MM 1017.0
                                                          14.3
                                                                              MM + 0.0
                   5.0
                        6.0
                              2.9
                                     13
                                                                 14.6
                                                                         MM
                                                                                         MM
                                           MM MM 1016.9
                                                                         MM
                                                                              MM + 0.0
2003 06 14 02 210
                   4.0
                        6.0
                              2.7
                                     1.3
                                                          14.3
                                                                 14.6
                                                                                         MM
2003 06 14 01 210
                   4.0
                        5.0
                              3.1
                                     13
                                           MM
                                               MM 1016.9
                                                          14.4
                                                                 14.7
                                                                         MM
                                                                              MM + 0.4
                                                                                         MM
2003 06 14 00 210
                   5.0
                        6.0
                              3.2
                                           MM MM 1016.9
                                                          14.4
                                                                 14.7
                                                                              MM + 0.5
```

Following are wind data during the period from 0500 pdt (1200 UTC) to 0900 pdt (1600 UTC). Note: Corresponding data were not available from station 46029. Details concerning the wind data can be found at http://www.ndbc.noaa.gov/measdes.shtml#cwind

```
YYYY MM DD hh mm DIR
                      SPD GDR GSP GMN
2003 06 14 16 50 180
                      5.5 160
                              8.0
2003 06 14 16 40
                178
                      5.6 999 99.0 99
2003 06 14 16 30 174
                      6.1 999 99.0 99
2003 06 14 16 20 170
                      6.4 999 99.0
2003 06 14
          16 10 165
                      6.5 999 99.0
2003 06 14 16 00 168
                      6.5 999 99.0 99
2003 06 14 15 50 169
                      6.2 150
                               8.0
                      6.3 999 99.0
2003 06 14 15 40 168
2003 06 14 15 30 169
                      6.3 999 99.0
                 171
2003 06 14 15 20
                      6.4 999
                              99.0
2003 06 14 15 10 170
                      6.3 999 99.0 99
2003 06 14 15 00 166
                      6.3 999 99.0 99
2003 06 14 14 50
                 169
                      6.6 140
                              9.0
                      6.7 999 99.0
2003 06 14 14 40 169
2003 06 14 14 30 168
                      6.4 999 99.0
2003 06 14 14 20 165
                      6.4 999 99.0 99
2003 06 14 14 10 162
                      6.8 999 99.0 99
2003 06 14 14 00
                 164
                      6.4 999 99.0
2003 06 14 13 50 166
                      6.4 150
                              8.0
2003 06 14 13 40 171
                      6.2 999 99.0
2003 06 14 13 30 174
                      6.1 999 99.0
2003 06 14 13 20 175
                      5.8 999 99.0
2003 06 14 13 10 184
                      5.1 999 99.0
                      4.3 999 99.0
2003 06 14 13 00 191
2003 06 14 12 50 173
                      3.9 180
                              8.0
2003 06 14 12 40
                 164
                      3.7
                          999
2003 06 14 12 30 160
                      3.6 999 99.0 99
2003 06 14 12 20 162
                      5.2 999 99.0
2003 06 14 12 10
                177
                      6.2 999 99.0
2003 06 14 12 00 186
                      5.8 999 99.0 99
```

Following are wave data for 46050 during the period from 1700 pdt June 13 (0000 UTC June 14) to 0900 pdt June 14 (1600 UTC June 14). Details concerning the wave data can be found at http://www.ndbc.noaa.gov/waveobs.shtml

```
AVP MWD
YYYY MM DD hh
               НΟ
                    SwH SwP
                              WWH
                                   WWP SwD WWD STEEPNESS
               3.9
                    3.7 11.1
2003 06 14 16
                              1.2
                                   5.3 N/A N/A
                                                  AVERAGE
                                                            8.7
2003 06 14 15
               3.8
                    3.6 12.5
                              1.2
                                   5.3 N/A N/A
                                                    SWELL
                                                            8.7 -99
2003 06 14 14
               4.1
                    4.1 12.5
                              0.0
                                     0 N/A N/A
                                                     SWELL
                                                            9.2 - 99
                                                            9.7 -99
2003 06 14 13
               4.2
                    4.2 12.5
                              0.0
                                     0 N/A N/A
                                                  AVERAGE
                    4.0 12.5
2003 06 14 12
               4.0
                              0.0
                                     0 N/A N/A
                                                   SWELL
                                                            9.5 - 99
2003 06 14 11
               3.8
                              0.0
                                     0 N/A N/A
                                                            9.9 -99
                    3.8 14.3
                                                     SWELL
2003 06 14 10
               3.9
                    3.9 12.5
                              0.0
                                     0 N/A N/A
                                                    SWELL 10.1 -99
                              0.7 3.7 N/A N/A
2003 06 14 09
               3.0
                   2.9 12.5
                                                     SWELL 9.4 -99
2003 06 14 08
               3.2
                    3.2 12.5
                              0.0
                                     0 N/A N/A
                                                     SWELL
                                                            9.3 - 99
2003 06 14 07
                                                            9.7 -99
               3.1
                    3.1 12.5
                              0.0
                                     0 N/A N/A
                                                    SWELL
2003 06 14 06
               2.9
                   2.9 12.5
                              0.0
                                     0 N/A N/A
                                                     SWELL 9.4 -99
2003 06 14 05
               2.5
                    2.5 12.5
                              0.0
                                     0 N/A N/A
                                                     SWELL
                                                           9.0 -99
2003 06 14 03 2.9
                   2.9 12.5
                              0.0
                                    0 N/A N/A
                                                    SWELL 8.8 -99
```

```
2003 06 14 02 2.7 2.7 12.5 0.0 0 N/A N/A SWELL 8.1 -99 2003 06 14 01 3.1 3.1 12.5 0.0 0 N/A N/A SWELL 8.0 -99 2003 06 14 00 3.2 3.1 12.5 0.9 3.0 N/A N/A SWELL 7.9 -99
```

Station NWP03 - Newport, Oregon

located approximately 186 degrees at 56 nautical miles from the accident location http://www.ndbc.noaa.gov/station page.phtml?station=nwpo3

Following are the standard hourly observations for NWP03 during the period from 1700 pdt June 13 (0000 UTC June 14) to 0900 pdt June 14 (1600 UTC June 14). Details concerning the observations can be found at http://www.ndbc.noaa.gov/measdes.shtml#stdmet

```
YYYY MM DD hh WD WSPD
                        GST
                             WVHT
                                    DPD
                                          APD MWD
                                                   BARO
                                                          ATMP
                                                                WTMP
                                                                      DEWP
                                                                            VIS PTDY
                                                                                      TIDE
2003 06 14 16 070
                                          MM MM 1020.6
                  2.6
                        3.1
                                                          13.0
                                                                      10.0
                                                                             MM + 1.1
                                    MM
                                                                 MM
2003 06 14 15 090
                  3.1
                        3.6
                               MM
                                     MM
                                           MM MM 1020.2
                                                          12.4
                                                                  MM
                                                                      10.2
                                                                             MM + 1.0
2003 06 14 14 080
                                               MM 1019.9
                                                                             MM + 0.9
                   1.5
                        1.5
                               MM
                                     MM
                                           MM
                                                          12.3
                                                                  MM
                                                                      10.1
                                                                                        MM
2003 06 14 13 150
                  1.0
                       1.0
                              MM
                                    MM
                                           MM MM 1019.5
                                                          12.1
                                                                  MM
                                                                      9.6
                                                                             MM + 0.8
                                                                                        MM
                                                                             MM + 0.4
2003 06 14 12 160
                              MM
                                     MM
                                           MM MM 1019.2
                                                                       9.6
                  2.6
                        2.6
                                                          12.2
                                                                 MM
                                                                                        MM
2003 06 14 11 160
                   3.1
                        3.6
                               MM
                                     MM
                                           MM MM 1019.0
                                                          12.2
                                                                  MM
                                                                       9.4
                                                                             MM - 0.0
                                                                                        MM
2003 06 14 10 160
                  2.6
                        3.6
                                           MM MM 1018.7
                                                          12.1
                                                                      9.2
                                                                             MM + 0.0
2003 06 14 09 150
                              MM
                                     MM
                                           MM MM 1018.8
                                                                  MM
                                                                       9.5
                                                                             MM + 0.0
                                                                                        MM
                   2.6
                        2.6
                                                          12.1
2003 06 14 08 160
                  2.6
                        4.1
                              MM
                                     MM
                                           MM MM 1019.0
                                                          12.3
                                                                  MM
                                                                       9.9
                                                                             MM + 0.7
                                                                                        MM
2003 06 14 07 170
                  2.6
                        3.1
                               MM
                                     MM
                                           MM MM 1018.9
                                                          12.4
                                                                 MM 10.9
                                                                             MM + 1.1
2003 06 14 06 170
                                     MM
                                           MM
                                               MM 1018.7
                   3.6
                        4.1
                               MM
                                                          12.8
                                                                  MM
                                                                      11.9
                                                                             MM + 1.1
                                                                                         MM
2003 06 14 05 190
                        5.7
                                           MM MM 1018.3
                                                          13.0
                                                                  MM 12.3
                                                                             MM + 1.0
                   4.1
                               MM
                                     MM
2003 06 14 04 190
                              MM
                                     MM
                                           MM MM 1017.8
                                                                  MM 12.4
                   6.2
                        7.2
                                                          13.1
                                                                             MM + 0.5
                                                                                        MM
2003 06 14 03 190
                   5.1
                        6.2
                               MM
                                     MM
                                           MM MM 1017.6
                                                          13.3
                                                                  MM
                                                                      12.2
                                                                             MM + 0.3
                                                                                         MM
2003 06 14 02 190
                  4.6
                        6.2
                                     MM
                                           MM MM 1017.3
                                                          13.7
                                                                  MM 12.1
                                                                             MM + 0.0
                                     MM
                                           MM MM 1017.3
                                                                             MM + 0.3
2003 06 14 01 210
                              MM
                                                          14.3
                                                                  MM
                                                                      11.3
                                                                                        MM
                  4.1
                        5.1
2003 06 14 00 210
                  5.1
                        6.2
                               MM
                                     MM
                                           MM MM 1017.3 14.6
                                                                  MM
                                                                      11.2
                                                                             MM + 0.3
```

Following are wind data during the period from 0500 pdt (1200 UTC) to 0950 pdt (1550 UTC). Note: Details concerning the wind data can be found at http://www.ndbc.noaa.gov/measdes.shtml#cwind

```
YYYY MM DD hh mm DIR
                      SPD GDR GSP GMN
2003 06 14 16 50 217
                      1.5 999 99.0 99
                      1.0 999 99.0 99
2003 06 14 16 40 199
2003 06 14 16 30 289
                      1.0 999 99.0
2003 06 14 16 20 060
                      1.0 999 99.0 99
2003 06 14 16 10 081
                      1.5 999 99.0
                      2.1 80 4.1
2003 06 14 16 00 074
2003 06 14 15 50 087
                      2.1 999 99.0
2003 06 14 15 40 091
                      2.1 999 99.0
2003 06 14 15 30 085
                      2.6 999 99.0 99
                      2.6 999 99.0 99
2003 06 14 15 20 083
2003 06 14 15 10 077
                      3.1 999 99.0 99
2003 06 14 15 00 085
                      2.6
                          80 3.6
2003 06 14 14 50 087
                      2.6 999 99.0
                      2.6 999 99.0 99
2003 06 14 14 40 086
2003 06 14 14 30 089
                      2.1 999 99.0 99
2003 06 14 14 20 086
                      1.5 999 99.0
2003 06 14 14 10 086
                      1.5 999 99.0 99
2003 06 14 14 00 076
                      1.5
                          80 2 1
2003 06 14 13 50 063
                      1.0 999 99.0
2003 06 14 13 40 081
                      0.5 999 99.0
2003 06 14 13 30 090
                      0.5 999 99.0
2003 06 14 13 20 112
                      0.5 999 99.0
2003 06 14 13 10 114
                      1.0 999 99.0
2003 06 14 13 00
                158
                      1.0 160
2003 06 14 12 50 162
                      1.5 999 99.0 99
                      1.5 999 99.0 99
2003 06 14 12 40 158
2003 06 14 12 30 152
                      2.1 999 99.0
2003 06 14 12 20 152
                     2.1 999 99.0 99
2003 06 14 12 10 159
                      2.6 999 99.0 99
2003 06 14 12 00 160 2.1 170 4.1 36
```

4. Climatological Data

A variety of climatological data for 46029, 46050, and NWP03 is available from the NDBC Internet site.

Attachments 2, 3, and 4 contain the Climatic Summary Tables obtained from the NDBC for the above three stations.

Additional climatological data, which is available from the NDBC Internet site, are listed below.

Station 46029 - COL RIVER BAR - 78NM South Southwest of Aberdeen, WA

Available historical data for station 46029 include:

- Quality controlled data from May
 - Standard Meteorological data and their <u>description</u>
 - Spectral wave density data and their <u>description</u>
 - o Spectral wave(alpha1) direction data and their description
 - Spectral wave(alpha2) direction data and their description
 - o Spectral wave(r1) direction data and their description
 - o Spectral wave(r2) direction data and their description
- Quality controlled data from the previous months of 2003 (<u>data descriptions</u>)
 - O Standard Meteorological data: Jan Feb Mar Apr
 - O Spectral wave density data: Jan Feb Mar Apr
 - Spectral wave(alpha1) direction data: Jan Feb Mar Apr
 - Spectral wave(alpha2) direction data: <u>Jan Feb Mar Apr</u>
 - Spectral wave(r1) direction data: <u>Jan Feb Mar Apr</u>
 - O Spectral wave(r2) direction data: Jan Feb Mar Apr
- Historical data (data descriptions)
 - Standard meteorological data: <u>1984</u> <u>1985</u> <u>1986</u> <u>1987</u> <u>1991</u> <u>1992</u> <u>1993</u> <u>1994</u> <u>1995</u> <u>1996</u> <u>1997</u> <u>1998</u> <u>1999</u> <u>2000</u> <u>2001</u> <u>2002</u>
 - o Spectral wave density data: 1996 1997 1998 1999 2000 2001 2002
 - O Spectral wave(alpha1) direction data: <u>1996</u> <u>1997</u> <u>1998</u> <u>1999</u> <u>2000</u> <u>2001</u> <u>2002</u>
 - o Spectral wave(alpha2) direction data: 1997 1998 1999 2000 2001 2002
 - Spectral wave(r1) direction data: <u>1997 1998 1999 2000 2001 2002</u>

- o Spectral wave(r2) direction data: <u>1997</u> <u>1998</u> <u>1999</u> <u>2000</u> <u>2001</u> <u>2002</u>
- Climatic summary table (PDF) and plots
 - o wind speed
 - o <u>air temperature</u>
 - o sea temperature
 - o <u>air-sea temperature</u>
 - o dew point temperature
 - o <u>air-dew point temperature</u>
 - o sea level pressure
 - o wind gust
 - o significant wave height
 - o average wave period
 - o dominant wave period

Station 46050 - STONEWALL BANKS - 20NM West of Newport, OR

Available historical data for station 46050 include:

- Quality controlled data from May
 - o Standard Meteorological data and their description
 - o Continuous winds data and their description
 - Spectral wave density data and their <u>description</u>
- Quality controlled data from the previous months of 2003 (<u>data descriptions</u>)
 - o Standard Meteorological data: <u>Jan Feb Mar Apr</u>
 - Continuous winds data: <u>Jan Feb Mar Apr</u>
 - O Spectral wave density data: Jan Feb Mar Apr
- Historical data (data descriptions)
 - O Standard meteorological data: <u>1991 1992 1993 1994 1995 1996 1997 1998 1999 2000 2001 2002</u>
 - o Continuous winds data: <u>1997 1998 1999 2000 2001 2002</u>
 - O Spectral wave density data: <u>1996</u> <u>1997</u> <u>1998</u> <u>1999</u> <u>2000</u> <u>2001</u> <u>2002</u>
 - Spectral wave(alpha1) direction data: <u>1996</u>
 - o Water level data: 1997
- Climatic summary <u>table</u> (PDF) and plots

- o wind speed
- o <u>air temperature</u>
- o sea temperature
- o air-sea temperature
- o sea level pressure
- o peak wind
- o wind gust
- o significant wave height
- o average wave period
- o dominant wave period

Station NWPO3 - Newport, OR

Available historical data for station NWPO3 include:

- Quality controlled data from May
 - o Standard Meteorological data and their description
 - o Continuous winds data and their description
- Quality controlled data from the previous months of 2003 (data descriptions)
 - O Standard Meteorological data: Jan Feb Mar Apr
 - O Continuous winds data: Jan Feb Mar Apr
- Historical data (data descriptions)
 - O Standard meteorological data: 1985 1986 1987 1988 1989 1990 1991 1992 1993 1994 1995 1996 1997 1998 1999 2000 2001 2002
 - o Continuous winds data: <u>1997 1998 1999 2000 2001 2002</u>
- Climatic summary table (PDF) and plots
 - o wind speed
 - o <u>air temperature</u>
 - o <u>dew point temperature</u>
 - o <u>air-dew point temperature</u>
 - o sea level pressure
 - o peak wind
 - o wind gust

5. Satellite Data

GOES-10 (Geostationary Operational Environmental Satellite-10) digital data centered on the Tillamook Bay area were obtained through McIDAS¹ and displayed on a NTSB McIDAS workstation. The nominal resolution of the visible data was 1 kilometer.

Figure 4 shows a McIDAS plot of the visible channel centered on Tillamook Bay for the nominal time of 0715 pdt (1415 UTC). The plot is a Mercator projection and X 2 magnified. A map background, Tillamook Bay, Portland (KPDX), KAST, Station 46029, Station 46050, and NWP03 are overlaid on the image.




Figure 4. Visible satellite image for 0715 pdt June 14, 2003.

6. Weather Radar Data

Safety Board staff obtained Portland Weather Surveillance Radar-1988, Doppler (KPDX WSR-88D) Base Reflectivity products from the Unidata archive and displayed them using McIDAS. Note: The University Corporation for Atmospheric Research (UCAR) Unidata Program is funded by the National Science Foundation.

Figure 5 shows a KPDX radar reflectivity product centered on Tillamook Bay for the nominal time of 0717 pdt. The product is for the 0.5-degree antenna elevation angle.

¹ Man computer Interactive Data System (MCIDAS) is a meteorological and data analyses computer-based system developed by the Space Science and Engineering Center at the University of Wisconsin at Madison, Wisconsin.

No echoes are indicated in the vicinity of Tillamook Bay.




Figure 5. PDX radar reflectivity depiction for 0717 pdt June 14, 2003.

8. NWS Forecasts and Advisories

Coastal Waters Forecasts and Small Craft Advisories

The NWS Weather Forecast Office (WFO) at Portland, Oregon, prepared Coastal Waters Forecasts and Small Craft Advisories for the coastal waters off Tillamook Bay. Figure 6 shows a depiction of the Portland WFO's marine area of responsibility.



Figure 6. NWS Portland Coastal Waters Forecast area.

Following are the Coastal Waters Forecasts and Small Craft Advisories issued at 2130 pdt June 13 and 0330 and 0930 pdt June 14. Note: According to the Meteorologist-in-Charge at the Portland office, the Small Craft Advisory for Hazardous Seas was issued at 1645 pdt June 13.

2130 pdt June 13

FZUS56 KPQR 140432

```
0435
CWFPQR
COASTAL WATERS FORECAST
NATIONAL WEATHER SERVICE PORTLAND OREGON
930 PM PDT FRI JUN 13 2003
COASTAL WATERS FROM CAPE SHOALWATER WASHINGTON TO FLORENCE OREGON
AND WESTWARD 60 NM
PZZ200-141030-
.SYNOPSIS FOR SOUTHERN WASHINGTON AND NORTHERN OREGON COAST...
A WEAK PAC FRONT WILL BRUSH ACROSS THE NORTHERN WATERS SAT. HIGH
PRES WILL REBUILD IN THE N ON SUN.
PZZ250-255-270-275-141030-
COASTAL WATERS FROM CAPE SHOALWATER WASHINGTON TO FLORENCE OREGON
AND WESTWARD 60 NM
930 PM PDT FRI JUN 13 2003
... SMALL CRAFT ADVISORY FOR HAZARDOUS SEAS...
PZZ270-250-141030-
COASTAL WATERS FROM CAPE SHOALWATER WASHINGTON TO CASCADE HEAD
OREGON AND WESTWARD 60 NM
930 PM PDT FRI JUN 13 2003
.TONIGHT...S WIND 15 KT. WIND WAVES 4 FT. W SWELL 10 FT AT 11
SECONDS. CHANCE OF SHOWERS.
.SAT...S WIND 10 KT...BECOMING W 15 KT IN THE AFTERNOON. WIND
WAVES 2 FT. W SWELL 12 FT AT 14 SECONDS.
.SAT NIGHT...NW WIND 15 KT...EASING TO 10 KT AFTER MIDNIGHT.
WIND WAVES 2 FT. W SWELL 10 FT AT 14 SECONDS.
.SUN...NW WIND 10 KT...RISING TO 15 KT IN THE AFTERNOON. WIND
WAVES 3 FT. W SWELL 8 FT.
.SUN NIGHT...N WIND 15 KT. WIND WAVES 3 FT. W SWELL 7 FT.
.MON...N WIND 15 KT...BECOMING NW 20 KT IN THE AFTERNOON. WIND
WAVES 3 FT. W SWELL 5 FT.
.MON EVENING...NW WIND 20 KT. WIND WAVES 3 FT. W SWELL 5 FT.
.TUE...NW WIND 15 KT. WIND WAVES 3 FT. W SWELL 5 FT.
.WED...NW WIND 15 KT. WIND WAVES 3 FT. W SWELL 5 FT.
$$
PZZ275-255-141030-
COASTAL WATERS FROM CASCADE HEAD TO FLORENCE OREGON AND WESTWARD
60 NM
930 PM PDT FRI JUN 13 2003
... SMALL CRAFT ADVISORY FOR HAZARDOUS SEAS...
.TONIGHT...SW WIND 10 KT. WIND WAVES 3 FT. W SWELL 10 FT AT 11
SECONDS. CHANCE OF SHOWERS.
.SAT...SW WIND 10 KT...BECOMING NW 15 KT IN THE AFTERNOON. WIND
WAVES 3 FT. W SWELL 11 FT AT 14 SECONDS.
.SAT NIGHT...NW WIND 15 KT. WIND WAVES 3 FT. W SWELL 10 FT AT
14 SECONDS.
.SUN...N WIND 15 KT...RISING TO 20 KT IN THE AFTERNOON. WIND
WAVES 4 FT. W SWELL 8 FT.
.SUN NIGHT...N WIND 20 KT...EASING TO 15 KT AFTER MIDNIGHT.
WIND WAVES 3 FT. W SWELL 7 FT.
.MON...N WIND 15 KT...BECOMING NW 25 KT IN THE AFTERNOON. WIND
WAVES 4 FT. W SWELL 6 FT.
.MON EVENING...NW WIND 25 KT. WIND WAVES 4 FT. W SWELL 6 FT.
.TUE...NW WIND 15 KT. WIND WAVES 3 FT. W SWELL 6 FT.
```

2003165

.WED...NW WIND 20 KT. WIND WAVES 4 FT. W SWELL 5 FT. \$\$

0330 pdt June 14

FZUS56 KPQR 141018 2003165

1018

CWFPOR

COASTAL WATERS FORECAST

NATIONAL WEATHER SERVICE PORTLAND OREGON

330 AM PDT SAT JUN 14 2003

COASTAL WATERS FROM CAPE SHOALWATER WASHINGTON TO FLORENCE OREGON AND WESTWARD 60 $\ensuremath{\mathsf{NM}}$

PZZ200-141630-

.SYNOPSIS FOR SOUTHERN WASHINGTON AND NORTHERN OREGON COAST...
A WEAK PAC FRONT WILL BRUSH ACROSS THE NORTHERN WATERS THIS MORNING.
SWELL FROM A PACIFIC LOW WILL WILL REACH THE COAST TODAY. HIGH PRES
WILL REBUILD IN THE N ON SUN. A THERMAL TROUGH WILL BUILD OVER
SOUTHERN OREGON INFLUENCING THE S WATERS ON MON.

PZZ250-270-141630-

COASTAL WATERS FROM CAPE SHOALWATER WA TO CASCADE HEAD OR EXTENDING WESTWARD 20 NM-

COASTAL WATERS FROM CAPE SHOALWATER WA TO CASCADE HEAD OR EXTENDING WESTWARD 20 TO 60 NM-

330 AM PDT SAT JUN 14 2003

... SMALL CRAFT ADVISORY FOR HAZARDOUS SEAS...

.TODAY...S WIND 10 KT...BECOMING W 15 KT IN THE AFTERNOON. WIND WAVES 3 FT. NW SWELL 11 FT AT 11 SECONDS. CHANCE OF SHOWERS EARLY IN THE MORNING.

.TONIGHT...W WIND 15 KT...BECOMING NW 10 KT AFTER MIDNIGHT. WIND WAVES 2 FT. NW SWELL 10 FT AT 11 SECONDS.

.SUN...NW WIND 10 KT...RISING TO 15 KT IN THE AFTERNOON. WIND WAVES 3 FT. NW SWELL 8 FT AT 10 SECONDS.

.SUN NIGHT...NW WIND 15 KT. WIND WAVES 2 FT. NW SWELL 6 FT.

.MON...N WIND 15 KT...BECOMING NW 20 KT IN THE AFTERNOON. WIND WAVES 3 FT. NW SWELL 4 FT.

.MON EVENING...NW WIND 20 KT. WIND WAVES 3 FT. NW SWELL 4 FT.

.TUE...NW WIND 15 KT. WIND WAVES 3 FT. NW SWELL 2 FT.

.WED...NW WIND 15 KT. WIND WAVES 2 FT. NW SWELL 5 FT.

\$\$

PZZ255-275-141630-

COASTAL WATERS FROM CASCADE HEAD TO FLORENCE EXTENDING WESTWARD 20 NM-

WATERS FROM CASCADE HEAD TO FLORENCE EXTENDING WESTWARD 20 TO 60 NM- 330 AM PDT SAT JUN 14 2003

... SMALL CRAFT ADVISORY FOR HAZARDOUS SEAS...

.TODAY...SW WIND 10 KT...BECOMING NW 15 KT IN THE AFTERNOON. WIND WAVES 3 FT. NW SWELL 11 FT AT 11 SECONDS. CHANCE OF SHOWERS EARLY IN THE MORNING.

.TONIGHT...NW WIND 15 KT. WIND WAVES 3 FT. NW SWELL 10 FT AT 11 SECONDS.

.SUN...N WIND 15 KT...RISING TO 20 KT IN THE AFTERNOON. WIND WAVES 4 FT. NW SWELL 7 FT AT 10 SECONDS.

.SUN NIGHT...N WIND 20 KT...EASING TO 15 KT AFTER MIDNIGHT. WIND WAVES 3 FT. NW SWELL 5 FT.

.MON...N WIND 15 KT...RISING TO 25 KT IN THE AFTERNOON. WIND WAVES 3 FT. NW SWELL 4 FT.

.MON EVENING...N WIND 25 KT. WIND WAVES 3 FT. NW SWELL 4 FT.

```
.TUE...N WIND 15 KT...BECOMING NW 20 KT EARLY IN THE AFTERNOON. WIND WAVES 3 FT. NW SWELL 3 FT.
.WED...NW WIND 20 KT. WIND WAVES 2 FT. NW SWELL 5 FT.
$$
```

0930 pdt June 14

```
FZUS56 KPQR 141642
                                                                 2003165
1643
CWFPQR
COASTAL WATERS FORECAST
NATIONAL WEATHER SERVICE PORTLAND OREGON
930 AM PDT SAT JUN 14 2003
COASTAL WATERS FROM CAPE SHOALWATER WASHINGTON TO FLORENCE OREGON
AND WESTWARD 60 NM
PZZ200-142230-
.SYNOPSIS FOR SOUTHERN WASHINGTON AND NORTHERN OREGON COAST...
HIGH PRES WILL BUILD OVER THE COASTAL WATERS TODAY AND SUN. SWELL
FROM A PACIFIC LOW WILL WILL REACH THE COAST TODAY. A THERMAL
TROUGH WILL BUILD OVER SOUTHERN OREGON INFLUENCING THE S WATERS
ON MON.
$$
PZZ250-255-270-275-142230-
COASTAL WATERS FROM CAPE SHOALWATER WASHINGTON TO FLORENCE OREGON
AND WESTWARD 60 NM
930 AM PDT SAT JUN 14 2003
... SMALL CRAFT ADVISORY FOR HAZARDOUS SEAS...
.TODAY...SW WIND 10 KT...BECOMING W 15 KT IN THE AFTERNOON.
WIND WAVES 2 FT. W SWELL 12 FT AT 14 SECONDS.
.TONIGHT...NW WIND 15 KT. WIND WAVES 2 FT. W SWELL 10 FT AT 14
SECONDS.
.SUN...NW WIND 15 KT...RISING TO 20 KT IN THE AFTERNOON. WIND
WAVES 3 FT. W SWELL 8 FT.
.SUN NIGHT...N WIND 20 KT...EASING TO 15 KT AFTER MIDNIGHT.
WIND WAVES 3 FT. W SWELL 7 FT.
.MON...N WIND 15 KT...BECOMING NW 25 KT IN THE AFTERNOON. WIND
WAVES 3 FT. W SWELL 6 FT.
.MON EVENING...NW WIND 25 KT. WIND WAVES 3 FT. W SWELL 6 FT.
.TUE...N WIND 15 KT...BECOMING NW 20 KT EARLY IN THE AFTERNOON.
WIND WAVES 3 FT. W SWELL 6 FT.
.WED...NW WIND 20 KT. WIND WAVES 3 FT. W SWELL 5 FT.
$$
```

Public Zone Forecasts

Following is the Zone Forecast for Tillamook issued by the Portland WFO at 0430 pdt June 14.

```
FPUS56 KPQR 141133

ZFPPQR

NORTHWEST OREGON AND SOUTHWEST WASHINGTON ZONE FORECASTS

NATIONAL WEATHER SERVICE PORTLAND OREGON

430 AM PDT SAT JUN 14 2003

SPOT TEMPERATURES AND PROBABILITIES OF MEASURABLE PRECIPITATION

ARE FOR TODAY...TONIGHT...SUNDAY...SUNDAY NIGHT...AND MONDAY.

ORZ001-WAZ021-141640-

NORTH OREGON COAST-SOUTH WASHINGTON COAST-
```

```
INCLUDING THE CITIES OF...ASTORIA...CANNON BEACH...TILLAMOOK...
PACIFIC CITY...NORTH COVE...RAYMOND...LONG BEACH...NASELLE
430 AM PDT SAT JUN 14 2003
.TODAY...MOSTLY CLOUDY. CHANCE OF SHOWERS EARLY THIS MORNING...THEN A
SLIGHT CHANCE OF SHOWERS. HIGHS IN THE LOWER 60S. WEST WIND 5 TO 15
.TONIGHT...MOSTLY CLOUDY. LOWS AROUND 50. SOUTHWEST WIND 5 TO 15 MPH.
.SUNDAY...PARTLY CLOUDY. HIGHS IN THE MID 60S. NORTHWEST WIND 10 TO
15 MPH.
.SUNDAY NIGHT...PARTLY CLOUDY. LOWS IN THE LOWER 50S. NORTHWEST WIND
5 TO 15 MPH.
.MONDAY...PARTLY CLOUDY. HIGHS IN THE UPPER 60S. NORTHWEST WIND 5 TO
.MONDAY NIGHT...PARTLY CLOUDY. LOWS AROUND 50.
.TUESDAY...MOSTLY CLOUDY. HIGHS 65 TO 70.
.TUESDAY NIGHT...MOSTLY CLOUDY. CHANCE OF SPRINKLES AND DRIZZLE.
LOWS 50 TO 55.
.WEDNESDAY...MOSTLY CLOUDY. CHANCE OF SPRINKLES AND DRIZZLE IN THE
MORNING. HIGHS 60 TO 65.
.WEDNESDAY NIGHT...MOSTLY CLOUDY. LOWS 50 TO 55.
.THURSDAY...MOSTLY CLOUDY. HIGHS 60 TO 65.
.THURSDAY NIGHT...MOSTLY CLOUDY. LOWS 50 TO 55.
.FRIDAY...MOSTLY CLOUDY. AREAS OF DRIZZLE IN THE MORNING. HIGHS
AROUND 60.
                   TEMPERATURE
                                           PRECIPITATION
                 63 50 64 51 68 / 30 10 10 00
ASTORIA
$$
=
```

9. NWS Marine Forecaster Statement

A statement by the Portland WFO marine forecaster, who was on duty at the accident time, is contained in attachment 5.

James T. Skeen, Jr. Senior Meteorologist

Attachments